# **PRODUCT DESCRIPTION**

Use: Nuraply TPO One-Part Pourable Sealer is used as a penetration pocket filler.

Material: One-part polyether sealant.

Colour: Grey

## INSTALLATION/APPLICATION

Apply when ambient temperature is above 5oC and rain is not anticipated for at least 4 hours. Do Not Thin. Refer to the Nuraply TPO application instructions and the product label for proper utilization of this sealant.

## PHYSICAL PROPERTIES

Specific Gravity @ 25oC1.39Service Temperature-40 F to 200 F

## PACKAGING AND COVERAGE

Size 1.9l pouch Coverage Rate \* 0.08m2/pouch at 5.08cm thick

\* Coverage, open and dry time rates can vary dramatically depending on the particular substrate and environmental conditions. Coverage rates stated herein are approximate only.

#### STORAGE

Shelf Life12 months from manufacture date at 70oF and 50% relative humidity.Storage ConditionsClean, dry, indoor environment, out of direct sunlight, in an unopened container.Temperature RangeHandles best at room temperature. Product will not freeze. Elevated tem- peratures or<br/>humidity may reduce shelf life significantly.

## EXPOSURE WINDOW

Squeeze excess air from pouch and replace cap to save unused sealant. Opened product should be used within 30 days.

#### ENERGY AND ENVIRONMENT

Maximum VOC <16g/l (EPA Method 24)

This product may be used in jurisdictions limiting VOC (volatile organic compounds) content of single ply roofing adhesive to no greater than 250 g/l

### PRECAUTIONS

Nuraply TPO One-Part Pourable Sealer should be shipped and stored in a cool dry area. Keep all bags tightly sealed while in storage. It may cause eye and skin irritation, and may cause an allergic skin reaction and/or serious eye damage. Avoid contact with skin and eyes. Use impervious clothing, rubber gloves and eye protection to avoid prolonged or repeated contact with skin and eyes. Read the Safety Data Sheet, and container label and follow all safety instructions.

The information in this product data sheet is based on our experience and testing. It represents the latest information available at the time of printing, but no guarantee of its accuracy is made or implied, nor responsibility taken for use to which this information may be put. We reserve the right to alter or up-date information parameters and formulations at any time without notice.

